



ONLEVEL

*LAZOR***TRACK**
LED ILLUMINATED HANDRAIL



LIGHT UP YOUR INSPIRATION. LEVEL UP YOUR LIFE.

When it comes to innovations, we often see the light and feel passionately about our products. At **ONLEVEL**, we have therefore designed a LED Level in a class of its own – our product designers have developed an integrated LED illumination for handrails, railings and balustrades which meets the highest quality requirements.

In the following, we will cast some light on the characteristics and benefits of LED illumination: LEDs are...

- | more energy-efficient
- | low-maintenance
- | reliable and durable
- | highly switching resistant
- | versatile in application
- | free from UV or IR radiation
- | adjustable with respect to the light cone, effects, colours and intensity

The greatest safety and quality coupled with the most beautiful views.

In our test laboratories, we illuminate our various materials and examine them with the help of analyses and stress tests, so that we can give our customers the guarantee of the greatest safety, quality and reliability. Our products are officially tested for the desired application and meet certified and independent quality, safety and performance standards.

LAZORTRACK

LED handrail

LEDs get ready to rumble.

Inspired by the permanent onward development of LED illumination, many new light installation possibilities and applications keep appearing in architecture. Whether discreet, soft or lightfast – LEDs not only stand out due to their amazing unobtrusiveness but also consume less energy, generate less heat and in this way contribute to a sustainable energy footprint.



Essential Features

- | Modern design
- | Available for wall and glass mounting
- | Aluminium and wood
- | Available in RAL
- | Protection class: IP66
- | LED strip: Can be cut to size (every 55 mm)
- | Voltage: 24 V
- | LEDs per metre: 144
- | Beam angle: 80°
- | Dimmable: yes
- | Colour temperature: 4000 K
- | Light colour: Neutral white
- | Rated output per metre: 6 W
- | Light output: 337lm/m
- | Input power: 220-240V AC 50/60Hz
- | 2 handrail holders at 2.5 meters
- | 4 handrail holders at 5.0 meters

1 integrated
transformer every 10 metres

One continuous light strip, no
irritating light spots


The LED strip can
simply be cut to size.

LAZORTRACK SET | GLASS HANDRAIL

Lazortrack glass handrail, aluminium complete set



- | Width: 42 mm
- | Height: 48 mm
- | Incl. end caps, transformer, LED strip and cable
- | Pre-assembled for connection wiring on site
- | Suitable for interior and exterior use
- | Sales unit: 1 piece



Lazortrack length 2.5 m

	Mill finish	Plain aluminium	RAL
Glass thickness	Art. no.	Art. no.	Art. no.
8 - 11 mm	18.2002.421.10	18.2002.421.11	18.2002.421.13/16/18/19
12 - 13.5 mm	18.2002.422.10	18.2002.422.11	18.2002.422.13/16/18/19
16 - 17.5 mm	18.2002.423.10	18.2002.423.11	18.2002.423.13/16/18/19
20 - 21.5 mm	18.2002.424.10	18.2002.424.11	18.2002.424.13/16/18/19

Lazortrack length 5 m

	Mill finish	Plain aluminium	RAL
Glass thickness	Art. no.	Art. no.	Art. no.
8 - 11 mm	18.2005.421.10	18.2005.421.11	18.2005.421.13/16/18/19
12 - 13.5 mm	18.2005.422.10	18.2005.422.11	18.2005.422.13/16/18/19
16 - 17.5 mm	18.2005.423.10	18.2005.423.11	18.2005.423.13/16/18/19
20 - 21.5 mm	18.2005.424.10	18.2005.424.11	18.2005.424.13/16/18/19

Lazortrack length 10 m


	Mill finish	Plain aluminium	RAL
Glass thickness	Art. no.	Art. no.	Art. no.
8 - 11 mm	18.2010.421.10	18.2010.421.11	18.2010.421.13/16/18/19
12 - 13.5 mm	18.2010.422.10	18.2010.422.11	18.2010.422.13/16/18/19
16 - 17.5 mm	18.2010.423.10	18.2010.423.11	18.2010.423.13/16/18/19
20 - 21.5 mm	18.2010.424.10	18.2010.424.11	18.2010.424.13/16/18/19

LAZORTRACK SET | GLASS HANDRAIL

Lazortrack glass handrail, oak complete set



- | Width: 56 mm
- | Height: 60 mm
- | Incl. end caps, transformer, LED strip and cable
- | Pre-assembled for connection wiring on site
- | Sales unit: 1 piece



Lazortrack length 2.5 m

	Oak
Glass thickness	Art. no.
8 - 11 mm	18.2002.561.72
12-13.5 mm	18.2002.562.72
16 - 17.5 mm	18.2002.563.72
20-21.5 mm	18.2002.564.72

Lazortrack length 5 m

	Oak
Glass thickness	Art. no.
8 - 11 mm	18.2005.561.72
12-13.5 mm	18.2005.562.72
16 - 17.5 mm	18.2005.563.72
20-21.5 mm	18.2005.564.72

Lazortrack length 10 m


	Oak
Glass thickness	Art. no.
8 - 11 mm	18.2010.561.72
12-13.5 mm	18.2010.562.72
16 - 17.5 mm	18.2010.563.72
20-21.5 mm	18.2010.564.72

LAZORTRACK | GLASS HANDRAIL, ALUMINIUM

Lazortrack handrail



| Width: 42 mm
| Height: 48 mm
| Sales unit: 1 piece




	Mill finish	Plain aluminium	RAL
length	Art. no.	Art. no.	Art. no.
2500	18.2102.420.10	18.2102.420.11	18.2102.420.13/16/18/19
5000	18.2105.420.10	18.2105.420.11	18.2105.420.13/16/18/19

Lazortrack handrail, inside corner, 90°



| LED strip inside
| Side length outside 380 mm
| 48 x 42 mm
| Sales unit: 1 piece




Model 2210	Mill finish	Plain aluminium	RAL
	Art. no.	Art. no.	Art. no.
	18.2210.420.10	18.2210.420.11	18.2210.420.13/16/18/19

Lazortrack handrail, outside corner, 90°



| LED strip outside
| Side length outside 380 mm
| 48 x 42 mm
| Sales unit: 1 piece




Model 2214	Mill finish	Plain aluminium	RAL
	Art. no.	Art. no.	Art. no.
	18.2214.420.10	18.2214.420.11	18.2214.420.13/16/18/19

Lazortrack end cap, left



| 48 x 42 mm
| Sales unit: 1 piece




Model 2300	Mill finish	Plain aluminium	RAL
	Art. no.	Art. no.	Art. no.
	18.2300.420.10	18.2300.420.11	18.2300.420.13/16/18/19

LAZORTRACK | GLASS HANDRAIL, ALUMINIUM

Lazortrack end cap, right



| 48 x 42 mm
| Sales unit: 1 piece




Model 2305	Mill finish	Plain aluminium	RAL
	Art. no.	Art. no.	Art. no.
	18.2305.420.10	18.2305.420.11	18.2305.420.13/16/18/19

Lazortrack wall connector



| 48 x 42 mm
| Sales unit: 2 pieces




Model 2220	Mill finish	Plain aluminium	RAL
	Art. no.	Art. no.	Art. no.
	18.2220.420.10	18.2220.420.11	18.2220.420.13/16/18/19

Handrail U profile, 30 mm, can be use as a cable protector and hide wires



| Length: 4000 mm
| 30 x 28 x 2 mm
| U 26 mm
| For glass thicknesses up to 21.5 mm
| Sales unit: 1 piece




Model 2114	Mill finish	Plain aluminium	RAL coloured
Length	Art. no.	Art. no.	Art. no.
4000	11.2114.302.10	11.2114.302.11	11.2114.302.13/16/18/19

U handrail rubber seals, 26 mm



| U handrail rubber seals for 26 mm




Model 6530			Model 6530		
Length	Glass thickness	Art. no.	Length	Glass thickness	Art. no.
4000	8 - 11 mm	90.6530.008.60	4000	16 - 17,5 mm	90.6530.016.60
25000	8 - 11 mm	90.6530.208.60	25000	16 - 17,5 mm	90.6530.216.60
4000	11,5 - 13,5 mm	90.6530.011.60	4000	19 mm	90.6530.019.60
25000	11,5 - 13,5 mm	90.6530.211.60	25000	19 mm	90.6530.219.60
4000	15 mm	90.6530.015.60	4000	20 - 21,5 mm	90.6530.020.60
25000	15 mm	90.6530.215.60	25000	20 - 21,5 mm	90.6530.220.60

LAZORTRACK | GLASS HANDRAIL, WOOD

Lazortrack handrail



- | Width: 56 mm
- | Height: 60 mm
- | Sales unit: 1 piece




Model 2102	Oak
length	Art. no.
2500	18.2102.560.72

Lazortrack handrail, inside corner, 90°



- | LED strip inside
- | Side length outside 380 mm
- | 56 x 60 mm
- | Sales unit: 1 piece




Model 2210	Oak
	Art. no.
	18.2210.560.72

Lazortrack handrail, outside corner, 90°



- | LED strip outside
- | Side length outside 380 mm
- | 56 x 60 mm
- | Sales unit: 1 piece




Model 2214	Oak
	Art. no.
	18.2214.560.72

Lazortrack end cap, left/right



- | For Handrail 56 x 60 mm
- | Use our wood adhesive 90.7018.000.00
- | Sales unit: 1 piece




Model 2300	Oak
	Art. no.
	18.2300.560.72

Lazortrack wall connector



| For Handrail 56 x 60 mm
| Sales unit: 2 pieces




Model 2220	Mill finish	Plain aluminium	RAL
	Art. no.	Art. no.	Art. no.
	18.2220.560.10	18.2220.560.11	18.2220.560.13/16/18/19

Lazortrack Connector Glass Handrail



| Sales unit: 1 piece



Model 4200	Art. no.
	18.2200.420.15

U handrail rubber seals, 27 mm



| U handrail rubber seals for 27 mm

Model 6548		
Length	Glass thickness	Art. no.
6 mtr	8 - 11 mm	90.6548.008.60
25 mtr	8 - 11 mm	90.6548.208.60
6 mtr	11.5 - 13.5 mm	90.6548.011.60
25 mtr	11.5 - 13.5 mm	90.6548.211.60
6 mtr	15 mm	90.6548.015.60
25 mtr	15 mm	90.6548.215.60
6 mtr	16 - 17.5 mm	90.6548.016.60
25 mtr	16 - 17.5 mm	90.6548.216.60
6 mtr	19 mm	90.6548.019.60
25 mtr	19 mm	90.6548.219.60
6 mtr	20 - 21.5 mm	90.6548.020.60
25 mtr	20 - 21.5 mm	90.6548.220.60

LAZORTRACK SET | WALL HANDRAIL

Lazortrack wall handrail, aluminium complete set



- | Width: 42 mm
- | Height: 34 mm
- | Incl. handrail support, end caps, transformer, LED strip and cable
- | Pre-assembled for connection wiring on site
- | Suitable for interior and exterior use
- | Sales unit: 1 piece

	Mill finish	Plain aluminium	RAL
length	Art. no.	Art. no.	Art. no.
2500	18.4002.420.10	18.4002.420.11	18.4002.420.13/16/18/19
5000	18.4005.420.10	18.4005.420.11	18.4005.420.13/16/18/19
10000	18.4010.420.10	18.4010.420.11	18.4010.420.13/16/18/19

Lazortrack wall handrail, oak complete set



- | Width: 56 mm
- | Height: 43 mm
- | Incl. handrail support, end caps, transformer, LED strip and cable
- | Pre-assembled for connection wiring on site
- | Coating food safe
- | Sales unit: 1 piece

	Oak
length	Art. no.
2500	18.4002.560.72
5000	18.4005.560.72
10000	18.4010.560.72




LAZORTRACK | WALL HANDRAIL, ALUMINIUM

Lazortrack handrail



| Width: 42 mm
| Height: 34 mm
| Sales unit: 1 piece




	Mill finish	Plain aluminium	RAL
length	Art. no.	Art. no.	Art. no.
2500	18.4102.420.10	18.4102.420.11	18.4102.420.13/16/18/19
5000	18.4105.420.10	18.4105.420.11	18.4105.420.13/16/18/19

Lazortrack handrail, inside corner, 90°



| LED strip inside
| Side length outside 380 mm
| 42 x 34 mm
| Sales unit: 1 piece



Model 4210	Mill finish	Plain aluminium	RAL
	Art. no.	Art. no.	Art. no.
	18.4210.420.10	18.4210.420.11	18.4210.420.13/16/18/19

Lazortrack handrail, outside corner, 90°



| LED strip outside
| Side length outside 380 mm
| 42 x 34 mm
| Sales unit: 1 piece




Model 4214	Mill finish	Plain aluminium	RAL
	Art. no.	Art. no.	Art. no.
	18.4214.420.10	18.4214.420.11	18.4214.420.13/16/18/19

Lazortrack end cap, left/right



| 42 x 34 mm
| Sales unit: 1 piece




Model 4300	Mill finish	Plain aluminium	RAL
	Art. no.	Art. no.	Art. no.
	18.4300.420.10	18.4300.420.11	18.4300.420.13/16/18/19

LAZORTRACK | WALL HANDRAIL, WOOD

Lazortrack handrail



- | Width: 56 mm
- | Height: 43 mm
- | Sales unit: 1 piece




Model 4102	Oak
length	Art. no.
2500	18.4102.560.72

Lazortrack handrail, inside corner, 90°



- | LED strip inside
- | Side length outside 380 mm
- | 56 x 43mm
- | Sales unit: 1 piece




Model 4210	Oak
	Art. no.
	18.4210.560.72

Lazortrack handrail, outside corner, 90°



- | LED strip outside
- | Side length outside 380 mm
- | 56 x 43mm
- | Sales unit: 1 piece




Model 4214	Oak
	Art. no.
	18.4214.560.72

Lazortrack end cap, left/right



- | For Handrail 50 x 38 mm
- | Use our wood adhesive 90.7018.000.00
- | Sales unit: 1 piece




Model 4300	Oak
	Art. no.
	18.4300.560.72

LAZORTRACK | WALL HANDRAIL, ACCESSORIES

Lazortrack wall connector for wall handrail



| Sales unit: 2 pieces



Model 2220	Mill finish	Plain aluminium	RAL
Width x Height	Art. no.	Art. no.	Art. no.
42 x 34	18.4220.420.10	18.4220.420.11	18.4220.420.13/16/18/19
56 x 43	18.4220.560.10	18.4220.560.11	18.4220.560.13/16/18/19

Wall handrail support



A cable with a maximum diameter of 8 mm fits through the handrail support.

- | 2 handrail holders at 2.5 meters
- | 4 handrail holders at 5.0 meters
- | Sales unit: 2 pieces




Model 4400	AISI 304 (inside)	AISI 316 (outside)
	Art. no.	Art. no.
	18.4400.000.21	18.4400.000.31

Lazortrack Connector Wall Handrail



| Sales unit: 1 piece



Model 4200	
	Art. no.
	18.4200.420.15

LAZORTRACK | LED ACCESSORIES

Lazortrack Transformer

| 24 V
| Sales unit: 1 piece



Model 3000		
Watts	up to a length of	Art. no.
100 W	10 m	18.3000.100.00

Lazortrack LED strip, warm white

| 24 V
| 6 W/m
| Sales unit: 1 piece



Model 3106	
length	Art. no.
2.5 m	18.3106.002.00
5 m	18.3106.005.00
10 m	18.3106.010.00

Lazortrack cable

| 230 V
| Sales unit: 1 piece



Model 9001	
length	Art. no.
10 m	18.9001.010.00
20 m	18.9001.020.00

Lazortrack Y cable

Do you need LED illumination on more than 10 m?
No problem at all! With this Y cable, you can extend your Lazortrack by up to 50 m. Simply connect the next mains adaptor together with the LED to the power supply and your illumination is there.



| Sales unit: 1 piece



Model 9003	
Art. no.	
18.9003.010.00	

LAZORTRACK | LED ACCESSORIES


How to extend the Lazortrack LED strip:



A gap of 50mm is needed to avoid LED and Handrail damage due to elongation and contraction from heat related matters.

LAZORTRACK | STANDARD HANDRAIL SETS WITH LED


Lazortrack in Handrail Set Ø42.4 mm



- | Wall connection
- | Set includes: Handrail, Lazortrack insert profile, Lazortrack 24V electr. cable, Lazortrack LED, Handrail hollow bracket flat conn. 3 mounting holes, Endcap flat glass, Lazortrack Handrail end part, screws
- | Sales unit: 1 piece

	AISI 304 (inside)	AISI 316 (outside)
length	Art. no.	Art. no.
5 mtr	18.2005.421.21	18.2005.421.31
10 mtr	18.2010.421.21	18.2010.421.31

Lazortrack in Handrail Set 40 x 30 mm



- | Wall connection
- | Set includes: Handrail, Lazortrack insert profile, Lazortrack 24V electr. cable, Lazortrack LED, Handrail hollow bracket flat conn. 3 mounting holes, Endcap flat glass, Lazortrack Handrail end part, screws
- | Sales unit: 1 piece

	AISI 304 (inside)	AISI 316 (outside)
length	Art. no.	Art. no.
5 mtr	18.2005.401.21	18.2005.401.31
10 mtr	18.2010.401.21	18.2010.4201.31

LAZORTRACK | STANDARD HANDRAIL SETS WITH LED

Lazortrack in Handrail Set Oak Ø42.4 mm



- | Wall connection
- | Set includes: Handrail oak, Lazortrack insert profile, Lazortrack 24V electr. cable, Lazortrack LED, Handrail hollow bracket flat conn. 3 mounting holes, Endcap flat glass, Lazortrack Handrail end part, screws
- | Use only in the interior
- | Sales unit: 1 piece

	Oak with AISI 304	Oak with AISI 316
length	Art. no.	Art. no.
5 mtr	18.2005.420.72	18.2005.421.72
10 mtr	18.2010.420.72	18.2010.421.72

Lazortrack in Handrail Set Oak 60 x 40 mm



- | Wall connection
- | Set includes: Handrail oak, Lazortrack insert profile, Lazortrack 24V electr. cable, Lazortrack LED, Handrail hollow bracket flat conn. 3 mounting holes, Endcap flat glass, Lazortrack Handrail end part, screws
- | Use only in the interior
- | Sales unit: 1 piece

	Oak with AISI 304	Oak with AISI 316
length	Art. no.	Art. no.
5 mtr	18.2005.600.72	18.2105.600.72
10 mtr	18.2010.600.72	18.2110.600.72


LAZORTRACK | STANDARD HANDRAILS WITH LED

Lazortrack standard handrail



- | 40 x 30 x 1 mm
- | Length: 5000 mm
- | Sales unit: 1 piece

| find the corresponding LED on page 16




Model 2105	AISI 304 (inside)	AISI 316 (outside)
Art. no.		Art. no.
18.2105.401.21		18.2105.401.31

Lazortrack standard handrail round Ø 42,4 mm



- | Length 5000 mm
- | Diameter Ø 42,4 x 1,5 mm
- | Sales unit: 1 piece

| find the corresponding LED on page 16




Model 2105	AISI 304 (inside)	AISI 316 (outside)
Art. no.		Art. no.
18.2105.421.21		18.2105.421.31

Lazortrack standard wooden handrail round Ø 42 mm



- | Length 2500 mm
- | Sales unit: 1 piece

| find the corresponding LED on page 16




Model 2102	
Art. no.	
18.2102.420.72	

Lazortrack standard wooden handrail



- | Length 2500 mm
- | 60 x 40 mm
- | Sales unit: 1 piece

| find the corresponding LED on page 16



Model 2122	
Art. no.	
18.2122.600.72	


LAZORTRACK | STANDARD HANDRAILS WITH LED

Lazortrack inside corner Ø 42,4 mm

| Diameter Ø 42,4 mm
| Sales unit: 1 piece



Model 2210	AISI 304 (inside)	AISI 316 (outside)
Diameter	Art. no.	Art. no.
42,4 mm	18.2210.421.21	18.2210.421.31




Lazortrack outside corner Ø 42,4 mm

| Diameter Ø 42,4 mm
| Sales unit: 1 piece



Model 2210	AISI 304 (inside)	AISI 316 (outside)
Diameter	Art. no.	Art. no.
42,4 mm	18.2210.422.21	18.2210.422.31




Lazortrack connector adjustable down

| Diameter Ø 42,4 mm
| Sales unit: 1 piece



Model 2216	AISI 304 (inside)	AISI 316 (outside)
Diameter	Art. no.	Art. no.
42,4 mm	18.2216.421.21	18.2216.421.31




Lazortrack connector adjustable up

| Diameter Ø 42,4 mm
| Sales unit: 1 piece




Model 2215	AISI 304 (inside)	AISI 316 (outside)
Diameter	Art. no.	Art. no.
42,4 mm	18.2215.421.21	18.2215.421.31



LAZORTRACK | STANDARD HANDRAILS WITH LED

Lazortrack inside corner


| Dimensions: 40x30 mm
| Sales unit: 1 piece



Model 2210	AISI 304 (inside)	AISI 316 (outside)
	Art. no.	Art. no.
	18.2210.401.21	18.2210.401.31

Lazortack outside corner


| Dimensions: 40x30 mm
| Sales unit: 1 piece



Model 2210	AISI 304 (inside)	AISI 316 (outside)
	Art. no.	Art. no.
	18.2210.402.21	18.2210.402.31

Lazortrack corner connector vertical 180 - 135°

| Sales unit: 1 piece




Model 2213	AISI 304 (inside)	AISI 316 (outside)
	Art. no.	Art. no.
	18.2213.401.21	18.2213.401.31

Lazortrack inside corner wood

| Dimensions: 60x40 mm
| Oak laquered
| Sales unit: 1 piece



| find the corresponding LED on page 16



Model 2210	
	Art. no.
	18.2210.600.72

LAZORTRACK | STANDARD HANDRAILS WITH LED

Lazortrack outside corner wood




- | Dimensions: 60x40 mm
- | Oak laquered
- | Sales unit: 1 piece

| find the corresponding LED on page 16

Model 2210

Art. no.

18.2210.601.72



Lazortrack 90° inside corner Ø42 mm wood




- | Oak laquered
- | Sales unit: 1 piece

| find the corresponding LED on page 16

Model 2210

Art. no.

18.2210.421.72



Lazortrack 90° outside corner Ø42 mm wood




- | Oak laquered
- | Sales unit: 1 piece

| find the corresponding LED on page 16

Model 2210

Art. no.

18.2210.422.72



LAZORTRACK | LED ACCESSORIES FOR STANDARD HANDRAILS

Lazortrack Drilling Tool for wooden handrails

| Sales unit: 1 piece



Model 0100	
	Art. no.
	90.0100.210.00

Lazortrack Drilling tool kit

| Sales unit: 1 piece



Model 0100	
	Art. no.
	90.0100.220.00

Wall handrail support

A cable with a maximum diameter of 8 mm fits through the handrail support.

- | 2 handrail holders at 2.5 meters
- | 4 handrail holders at 5.0 meters
- | Sales unit: 2 pieces



Model 4400	AISI 304 (inside)	AISI 316 (outside)
	Art. no.	Art. no.
	18.4400.000.21	18.4400.000.31



Lazortrack cable

| 24 V
| Sales unit: 1 piece



Model 9001	
length	Art. no.
6 m	18.9017.006.00
11 m	18.9017.011.00







LED THE LIGHT SHINE ON YOU.

Our system solutions are a ray of light – that is crystal clear. For they combine glass, stainless steel and wooden elements with the latest LED technology. In addition, to make the system as easy to install as possible, we have developed a handrail system that can be used as functional, accent and home safe lighting.

In this way, our systems show their true shine as thanks to their integrated LED illumination technology, our LED handrails are suitable for interior and exterior applications offering different light and cover variants.

Here, we will light up the scene for the different areas of application:

- | Spiral staircases, outside staircases
- | Garden paths, atriums and pavements
- | Interior applications: Entrance halls, ramps, steps
- | Exterior applications: Entry areas, ramps, steps
- | Balconies and terraces, roof terraces
- | Corridors, hallways
- | Platforms, stages
- | Bridges
- | Room partitions
- | Billboards
- | Signage systems



ONLEVEL

ONLEVEL Ltd. | Units 6 & 7, Alexandria Court | Alexandria Drive
Ashton Commerce Park | Ashton-under-Lyne | Lancashire OL7 0QN | United Kingdom
T +44 0161 804 9500 | F +44 0161 804 9505 | info@onlevel-uk.com | www.onlevel.com